

# Kairos Validation test report (検証報告書)

## 1. Outline (概要) & Purpose (目的)

The purpose of this validation is to test interconnectivity or interoperability of Kairos with our partner's ( 3<sup>rd</sup> party's) product.

## 2. Validation product (検証対象機器)

Vender name	Product name	Control Command
ARISTA	1 SPINE DCS-7050CX3-32S-F 2-1. LEAF Model 1 DCS-7050SX3-48YC8-F 2-2. LEAF Model 2 DCS-7280SR3K-48YC8-F	ARISTA EOS (Extensible Operating System) Ver 4.26.4M

## 3. Place of testing (検証場所) & Date of testing (検証期間)

MEBD Osaka, Japan

11<sup>th</sup> Jan. – 11<sup>th</sup> March M, 2022

## 4. Validation environment (検証環境)

Used apparatus (使用機器)

Equipment Name	Model	S/W Version	Remarks
Kairos Core server	AIC Server	Ver. 1.1.14	
Kairos Creator	Dell PC	Ver. 1.1.14	

## 5. NW Diagram for Management (検証管理用 NW 構成図)




Fig. 1 SVI




Fig. 2 Routed Port

## 6. Verifier (検証者)

T. Toyofuku

## 7. Validation items & results (検証項目 & 検証結果)

### 7.1 DCS-7050SX3-48YC8-F

No.	Format	Stream	
		Video	Audio
1-1	1080/59.94p	OK	OK
1-2		OK	OK
2-1	2160/59.94p	OK	OK
2-2		OK	OK
3-1	1080/50p	OK	OK
3-2		OK	OK
4-1	2160/50p	OK	OK
4-2		OK	OK

Table 1. SVI for DCS-7050SX3-48YC8-F

No.	Format	Stream	
		Video	Audio
1-1	1080/59.94p	OK	OK
1-2		OK	OK
2-1	2160/59.94p	OK	OK
2-2		OK	OK
3-1	1080/50p	OK	OK
3-2		OK	OK
4-1	2160/50p	OK	OK
4-2		OK	OK

Table 2. Routed Port for DCS-7050SX3-48YC8-F

## 7.2 DCS-7280SR3K-48YC8-F

No.	Format	Stream	
		Video	Audio
1-1	1080/59.94p	OK	OK
1-2		OK	OK
2-1	2160/59.94p	OK	OK
2-2		OK	OK
3-1	1080/50p	OK	OK
3-2		OK	OK
4-1	2160/50p	OK	OK
4-2		OK	OK

Table 3. SVI for DCS-7280SR3K-48YC8-F

No.	Format	Stream	
		Video	Audio
1-1	1080/59.94p	OK	OK
1-2		OK	OK
2-1	2160/59.94p	OK	OK
2-2		OK	OK
3-1	1080/50p	OK	OK
3-2		OK	OK
4-1	2160/50p	OK	OK
4-2		OK	OK

Table 4. Routed Port DCS-7280SR3K-48YC8-F